CORRECTION Open Access

Correction to: Long non-coding RNA LINC00968 attenuates drug resistance of breast cancer cells through inhibiting the Wnt2/β-catenin signaling pathway by regulating WNT2



Dian-Hui Xiu¹, Gui-Feng Liu¹, Shao-Nan Yu¹, Long-Yun Li², Guo-Qing Zhao², Lin Liu and Xu. Seng Li^{2*}

Correction to: J Exp Clin Cancer Res 38, 94 (2019) https://doi.org/10.1186/s13046-019-1100-8

Following publication of the original article [1], the authors identified some minor errors in image typesetting in Fig. 6; specifically the flow cytometry apoptosis experiment detailed in Fig. 6a.

The corrected figure is given below. The correction does not have any effect on the results or conclusions of the paper. The original article has been updated.

Author details

¹Department of Radiology, China-Japan Union Hospital of tilin to Prsity, Changchun 130033, People's Republic of China. ²Department of Anesthesiology, China-Japan Union Hospital of Jilin University, No. 12o, Xiantai Street, Changchun 130033, Jilin Province, Pople's Republic of China.

Published online: 22 June 2021

Reference

 Xiu DH, Liu GF, Yu SN, Li LY, 7 - GQ, Liu L, et al. Long non-coding RNA LINC00968 attenuates drug resistate of binast cancer cells through inhibiting the Wnt2/β-cat sign approximately by regulating WNT2. J Exp Clin Cancer Res. 2017, 8-94 in 7/doi.org/10.1186/s13046-019-1100-8.

The original and e can be found online at https://doi.org/10.1186/s13046-012-018.

orres andence: Lixfbility@163.com

tment of Anesthesiology, China-Japan Union Hospital of Jilin Unive No. 126, Xiantai Street, Changchun 130033, Jilin Province, People's Republic of China

Full list of author information is available at the end of the article



© The Author(s). 2021 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 6 Overexpressed LINC00968 or silenced V NT2 contributes to promoted apoptosis of breast cancer cells. **a** the apoptosis of MCF-7 cells after transduction in each group as analyzed by flor cytometry. **b** the cell apoptosis rate in each group. **c** protein bands of Bax, cleaved-PARP, cleaved-caspase3 and Bcl-2 in MCF-7/ADM cell fer transduction in each group as measured by Western blot analysis. **d** the protein levels of Bax, cleaved-PARP, cleaved-caspase3 and Bcl-2 in each group. *p < 0.05 vs. the control group; *p < 0.05 vs. the blank and NC groups; *p < 0.05 vs. the LINC00968 vector + WNT2 vector group.