

CORRECTION

Open Access



Correction to: Promoter hypomethylation mediated upregulation of MicroRNA-10b-3p targets FOXO3 to promote the progression of esophageal squamous cell carcinoma (ESCC)

Yi-fang Lu^{1†}, Jia-rui Yu^{2†}, Zhao Yang^{2†}, Guan-xia Zhu^{3,4†}, Peng Gao², Huan Wang², Si-yuan Chen², Jie Zhang⁵, Mei-yue Liu², Yi Niu², Xiao-mei Wei², Wei Wang², Feng-jin Ye², Li-xin Zhang², Yue Zhao^{3*} and Guo-gui Sun^{2*}

Correction to: J Exp Clin Cancer Res
<https://doi.org/10.1186/s13046-018-0966-1>

In the original publication of this manuscript [1], Fig. 6 contains a repeated image in error (the left image of 'Migration' and the left image of 'Invasion'). The misused pictures do not influence the data statistics; all of the original results remain unchanged. The revised Fig. 6 is shown below:

The authors sincerely apologize for the inconvenience caused to the readers.

Author details

¹Department of medicine, Tangshan gongren Hospital, Tangshan, China.
²Department of Radiation Oncology, North China University of Science and Technology Affiliated People's Hospital, Shengli Road, Tangshan 063000, China. ³Zhejiang Cancer Research Institute, Zhejiang Cancer Hospital, Hangzhou 310022, China. ⁴Wenzhou Medical College, Wenzhou, China.
⁵Department of pathology, North China University of Science and Technology Affiliated People's Hospital, Tangshan, China.

Published online: 21 January 2020

Reference

1. Lu, et al. Promoter hypomethylation mediated upregulation of MicroRNA-10b-3p targets FOXO3 to promote the progression of esophageal squamous cell carcinoma (ESCC). *J Exp Clin Cancer Res.* 2018;37:301.

The original article can be found online at <https://doi.org/10.1186/s13046-018-0966-1>

* Correspondence: zhaoyue@zjcc.org.cn; guogui_sun2013@163.com

[†]Yi-fang Lu, Jia-rui Yu, Zhao Yang and Guan-xia Zhu contributed equally to this work.

³Zhejiang Cancer Research Institute, Zhejiang Cancer Hospital, Hangzhou 310022, China

²Department of Radiation Oncology, North China University of Science and Technology Affiliated People's Hospital, Shengli Road, Tangshan 063000, China

Full list of author information is available at the end of the article



© The Author(s). 2020 **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated.




Fig. 6 A rescue assay was further performed to confirm that FOXO3 was the functional target of miR-10b-3p. **a-b** The mRNA and protein levels of FOXO3 in KYSE150 and KYSE450 cell lines cotransfected with miR-10b-3p mimic and pEGFP-C1 plasmid containing FOXO3 CDS sequence. **c** The cell growth curve was measured by MTS cotransfected with miR-10b-3p mimic and FOXO3 plasmids in KYSE 150 cell lines, and the OD 570 was normalized to the star point (0 h). **d** Transwell assay of cells cotransfected with miR-10b-3p mimic and FOXO3 plasmids. **e** The expression of FOXO3 at the mRNA and protein level post siRNA silencing in KYSE150 cells. **f** Representative images and quantification of transwell assay after the transfection of FOXO3 siRNA into the KYSE150 cell lines. Each experiment was performed in triplicate. Data are presented as the mean value \pm SD. *, $P < 0.05$; **, $P < 0.01$