

CORRECTION

Open Access



# Correction to: Forkhead box (FOX) G1 promotes hepatocellular carcinoma epithelial-Mesenchymal transition by activating Wnt signal through forming T-cell factor-4/Betacatenin/FOXG1 complex

Xingrong Zheng<sup>1†</sup>, Jiaxin Lin<sup>1†</sup>, Hwei Wu<sup>1</sup>, Zhishuo Mo<sup>1</sup>, Yunwen Lian<sup>1</sup>, Peipei Wang<sup>1</sup>, Zhaoxia Hu<sup>1</sup>, Zhiliang Gao<sup>1,2,3</sup>, Liang Peng<sup>1,2,3\*</sup> and Chan Xie<sup>1,2,3\*</sup> 

**Correction to: J Exp Clin Cancer Res 38, 475 (2019)**  
<https://doi.org/10.1186/s13046-019-1433-3>

Following publication of the original article [1], the authors identified some minor errors in image-typesetting in Fig. 2; specifically in Fig. 2e.

The corrected figure is given below. The correction does not have any effect on the results or conclusions of the paper.

Published online: 17 March 2021

## Reference

1. Zheng X, Lin J, Wu H, et al. Forkhead box (FOX) G1 promotes hepatocellular carcinoma epithelial-Mesenchymal transition by activating Wnt signal through forming T-cell factor-4/Beta-catenin/FOXG1 complex. *J Exp Clin Cancer Res.* 2019;38:475 <https://doi.org/10.1186/s13046-019-1433-3>.

## Author details

<sup>1</sup>Department of Infectious Diseases, the Third Affiliated Hospital of Sun Yat-sen University, 600# Tianhe Road, Guangzhou 510630, Guangdong Province, China. <sup>2</sup>Key Laboratory of Tropical Disease Control, Ministry of Education, Sun Yat-sen University, Guangzhou 510630, Guangdong Province, China. <sup>3</sup>Guangdong Provincial Key Laboratory of Liver Disease, Guangzhou, China.

The original article can be found online at <https://doi.org/10.1186/s13046-019-1433-3>.

\* Correspondence: [pzp33@hotmail.com](mailto:pzp33@hotmail.com); [happyxiechan@hotmail.com](mailto:happyxiechan@hotmail.com)


<sup>†</sup>Xingrong Zheng and Jiaxin Lin contributed equally to this work. Please make sure to put a dagger signs for these two authors in the Author list. Also Chan Xie will have an ORCID #0000-0002-0225-5483

<sup>1</sup>Department of Infectious Diseases, the Third Affiliated Hospital of Sun Yat-sen University, 600# Tianhe Road, Guangzhou 510630, Guangdong Province, China

Full list of author information is available at the end of the article



© The Author(s). 2021 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.



**Fig. 2** Overexpression of FOXG1 promotes cell mobility and invasion by inducing epithelial-mesenchymal transition (EMT). **a** Western blotting analysis and **b** Immunofluorescence analysis of expression of epithelial cell markers (E-cadherin and  $\alpha$ -catenin) and mesenchymal cell markers (vimentin and fibronectin) in indicated cells transfected with FOXG1 expression vector or control vector. Nuclei counterstained with DAPI. GAPDH was used as a loading control. **c** Representative migrating images of the indicated Huh7 and PLC/PRF5y cells on uncoated Transwell devices in five random fields. **d** Quantification of the invading cells of the indicated Huh7 and PLC/PRF5y cells on Matrigel-coated Transwell devices in five random fields. Values represent mean  $\pm$  SD. \* $P < 0.05$ . **e** Representative micrographs of wound healing assay of the indicated Huh7 and PLC/ PRF5y cells. Wound closures were photographed at 0, 24, and 36 h after wounding. All experiments were repeated at least three times with similar results